

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at

<u>WWW.bccancer.bc.ca</u> and according to acceptable standards of care

PROTOCOL CODE: ULKMFRUX

Page 1 of 1

A BC Cancer "Compassionate Access Program" request form must be completed and approved prior to treatment

DOCTOR'S ORDERS	Ht	cm	Wt	,kg	BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form						
DATE: To be given: Cycle #				#:		
Date of Previous Cycle:						
□ Delay treatment week(s) □ CBC & Diff, Platelets May proceed with doses as written if within 7 days of ruxolitinib initiation and of dispensing the next cycle for first 6 months of therapy; thereafter, within 14 days of dispensing the next cycle. ■ ANC greater than or equal to 1 x 10 ⁹ /L, Platelets as per protocol Dose modification for: □ Hematology □ Other Toxicity						
TREATMENT:						
ruxolitinib 🔲 5 mg, 🔲 10 mg, 🔲 15 mg, 🔲 20 mg or 🔲 25 mg (select one) PO twice daily.						
■ Mitte: months (1-month supply for first 6 months of therapy; may dispense 3-month supply after 6 months)						
Refill x						
RETURN APPOINTMENT ORDERS						
Return in weeks for Doctor.						
During dosage titration: (first six month ☐ CBC & Diff, Platelets every we During maintenance: ☐ CBC & Diff, Platelets every month	ek(s))				
☐ Serum Creatinine						
ALT, Bilirubin						
Other tests:						
☐ Consults:						
☐ See general orders sheet for additio	nal requests.					
DOCTOR'S SIGNATURE:					SIGN	NATURE:
					UC:	